

# Cool Machines Inc.

## Fiber Machines - Cutting Edge Cool

BY **DAVE KRENDL**

www.coolmachines.com



## 'Cool' Tool Series - Wall Scrubbers

Our **Cool Tools** are important devices used to remove excess wall spray insulation (flush) with wall studs, allowing for easy installation of drywall. The 'wall scrubbing' process must be fast and easy, resulting in a clean surface that will compliment the spray process.

The **Cool Tool** utilize a proprietary hybrid wall scrubber design combining the best of the "T" frame technology (edge cutting into corners), and the rugged two (2) support roller design of the "U" frame technology. This cutting edge design provides a rock solid unit that is extremely rugged, easily serviced, exceptionally well balanced and light-weight (11lbs.). These elements provide the Industry's highest performance, lowest weight wall scrubber, with impressive finished results.

### Corded Models

(Standard)



#### Specifications:

##### •Weight:

- Standard - 5 kg.
- Mini - 3.9 kg.

##### •Dimensions (LxWxH):

- Standard - 92.7cm x 78.8cm x 10.8cm
- Mini - 42.7cm x 50.8cm x 10.8cm

##### •Power Requirements:

- Standard - 1.5 amp. 120/230 volt, 50/60 Hz
- Mini - 0.5 amp. 120/230 volt, 50/60 Hz.

##### •Drive Motor:

- Standard - 1/8 h.p. TENV, 120/240 volt, 50/60 Hz
- Mini - 1/27 h.p. TENV, overload protected


(Mini)



### Features & Benefits



Cordless models use Milwaukee or DeWalt Batteries



Lightweight Aluminum frame reduces fatigue



Oil impregnated delrin roller supports for long life.



Quick change rollers and belt (no tools req'd)

## Available in Corded & Cordless

# Cutting Edge Cool!

## Milwaukee Cordless Models

(Standard)



### Specifications:

- **Weight:**
  - Standard - 5.5 kg.
  - Mini - 5.2 kg.
- **Dimensions (LxWxH):**
  - Standard - 92.7cm x 78.8cm x 10.8cm
  - Mini - 42.7cm x 50.8cm x 10.8cm
- **Power Requirements:**
  - 18 volt D.C. (Milwaukee - Lithium-Ion)
- **Drive Motor:**
  - 5.1 amp. 18 volt, TENV



(Mini)

### Milwaukee 18V Cordless Options:

- **Standard Battery:** 1.5 amp. - 20 min. continuous run time
- **Long Life Battery:** 4.0 amp. - 40 min. continuous run time
- **Quick Charger:** 3 amp/hr  
Charge time 'standard' battery: 30 min.  
Charge time 'long life' battery: 60 min.



**Note: Batteries are NOT interchangeable between DeWalt and Milwaukee Cordless Models**

## DeWalt Cordless Models

(Standard)



### Specifications:

- **Weight:**
  - Standard - 5.5 kg.
  - Mini - 5.2 kg.
- **Dimensions (LxWxH):**
  - Standard - 92.7cm x 78.8cm x 10.8cm
  - Mini - 42.7cm x 50.8cm x 10.8cm
- **Power Requirements:**
  - 20 volt D.C. (DeWalt - Lithium-Ion)
- **Drive Motor:**
  - 5.1 amp. 18 volt, TENV



(Mini)

### DeWalt 20V Options:

- **Standard Battery:** 1.5 amp. - 20 min. continuous run time
- **Long Life Battery:** 3.0 amp. - 40 min. continuous run time
- **Quick Charger:** 4 amp/hr  
Charge time 'standard' battery: 30 min.  
Charge time 'long life' battery: 60 min.



**Questions? Call us at 419-232-4871**